



pure

Domestic Reverse Osmosis

ECOSOFT P'URE REVERSE OSMOSIS FILTER WITH MINERALIZATION



FILTRATION TECHNOLOGY:

- Sediment PP 5-micron filter
- GAC coconut shell carbon filter
- Carbon block 10-micron filter
- RO membrane element 75 GPD
- Coconut shell carbon filter
- Mineralization filter

KEY FEATURES:

1. 6 stages of water purification including mineralization
2. Delicious water thanks to DOW Filmtec™ membrane element and high-quality activated carbon filters
3. Possibility of two installation positions: vertical and horizontal
4. 'Clean room' effect — vacuum tightness of the filter since it leaves its assembly line
5. Manufacturer assurance — all systems are tested and approved for domestic application

SPECIFICATIONS:

Code	Flow capacity, LPD (GPD)	Inlet pressure, bar (psi)	Connections	Total volume of storage tank, L (gal)	Dimensions, H x W x D, mm (in)
MO675MPUREEXP	280 (75)	3–6 (43.5–87)	1/2"	11 (2.9)	310 x 440 x 195 (12.2 x 17.3 x 7.7)

COMPONENTS:

- Filtration module
- Ecosoft set of pre-filters for reverse osmosis filter
- DOW Filmtec™ membrane element 75 GPD (280 LPD)
- Ecosoft carbon post-filter for reverse osmosis filter
- Ecosoft mineralization filter for reverse osmosis filter
- 2-handle ball valve faucet 'Modern' for purified water and mineralized water
- Metal pressure tank (total vol. 11 L/2.9 gal, effective vol. up to 7 L/1.8 gal) and tank valve
- Feed water adapter, feed valve, drain saddle
- Set of color tubes (5 pc.) for convenient filter installation
- Service wrenches
- User manual

Unit weight (net/gross), kg: 8.75/10.5
lb: 19.3/23.2


Box dimensions, m: 0.59 x 0.46 x 0.30
in: 23.2 x 18.1 x 11.8



ECOSOFT P'URE REVERSE OSMOSIS FILTER WITH MINERALIZATION

Code	Product	Pieces in box	Boxes on pallet	Pieces on pallet
MO675MPUREEXP	Ecosoft P'URE reverse osmosis filter with mineralization	1	28	28

ECOSOFT P'URE AQUACALCIUM REVERSE OSMOSIS FILTER



FILTRATION TECHNOLOGY:

- Sediment PP 5-micron filter
- GAC coconut shell carbon filter
- Carbon block 10-micron filter
- RO membrane element 75 GPD
- AquaCalcium mineralization filter
- Coconut shell carbon post-filter

KEY FEATURES:

1. Water enriched with calcium by the AquaCalcium mineralization filter
2. Reproduces natural speed of water flowing through mountain rocks
3. Provides stable content of minerals in the purified water — 55–65 mg/L
4. Fresh, soft, and natural taste of water
5. Water with calcium is especially recommended to teenagers and elderly people
6. Manufacturer assurance — all systems are tested and approved for domestic application

SPECIFICATIONS:

Code	Flow capacity, LPD (GPD)	Inlet pressure, bar (psi)	Connections	Total volume of storage tank, L (gal)	Dimensions, H x W x D, mm (in)
MO675MACPUREEXP	280 (75)	3–6 (43.5–87)	1/2"	11 (2.9)	310 x 440 x 195 (12.2 x 17.3 x 7.7)

COMPONENTS:

- Filtration module
- Ecsoft set of pre-filters for reverse osmosis filter
- DOW Filmtec™ membrane element 75 GPD (280 L per day)
- Ecsoft carbon post-filter for reverse osmosis filter
- Ecsoft AquaCalcium mineralization filter
- Ball valve faucet 'Modern' for purified water
- Metal pressure tank (total vol. 11 L/2.9 gal, effective vol. up to 7 L/1.8 gal) and tank valve
- Feed water adapter, feed valve, drain saddle
- Set of color tubes (4 pc.) for convenient filter installation
- Service wrenches
- User manual

Unit weight (net/gross), kg: 8.75/10.5

lb: 19.3/23.2

Box dimensions, m: 0.59 x 0.46 x 0.30

in: 23.2 x 18.1 x 11.8



ECOSOFT P'URE AQUACALCIUM REVERSE OSMOSIS FILTER

Code	Product	Pieces in box	Boxes on pallet	Pieces on pallet
MO675MACPUREEXP	Ecsoft P'URE AquaCalcium reverse osmosis filter	1	28	28

Minimum order is 1 pallet of each item

CONSUMABLES FOR ECOSOFT P'URE REVERSE OSMOSIS FILTERS

PRESSURE BOOSTER PUMP




DESCRIPTION:

Intended for water mains with low pressure. The pump will provide the pressure sufficient to push water through the membrane

KEY FEATURES:

1. Possibility of installation at any reverse osmosis filter
2. 30...50% of water economy
3. Simple installation — step-by-step installation manual

Unit weight (net/gross), kg: 3.45/3,74
lb: 7.6/8.3
Box dimensions, m: 0.35 x 0.18 x 0.12
in: 13.8 x 7.1 x 4.7



PRESSURE BOOSTER PUMP

Code	Product	Pieces in box	Boxes on pallet	Pieces on pallet
KPOMPROECO	Pressure booster pump for Ecosoft P'URE reverse osmosis filters	1	108	108

ECOSOFT AQUACALCIUM REPLACEMENT FILTER



DESCRIPTION:

The filter with a new mineral composition designed to enrich water with an essential for human organism element such as calcium. It is intended for Ecosoft P'URE AquaCalcium reverse osmosis filters which reproduce natural speed of water flowing through mountain rocks and provide stable content of minerals in the purified water — 55–65 mg/L

KEY FEATURES:

1. Drinking water enriched with calcium which is vitally important for human health
2. Especially recommended for teenagers and elderly people
3. Fresh, soft, and natural taste of water
4. Calcium reduces risk of osteoporosis, hypertension, stroke, obesity and many other diseases

Unit weight (net/gross), kg: 0.95/0.97
 lb: 2.09/2.14
 Box dimensions, m: 0.38 x 0.33 x 0.15
 in: 15.0 x 13.0 x 6.0



Please be aware it is possible to employ the filter in the other models of Ecosoft filters, or filters produced by different manufacturers. But in this case, saturation of water will be 3-5 times lower

ECOSOFT AQUACALCIUM REPLACEMENT FILTER ECOSOFT P'URE REVERSE OSMOSIS FILTERS

Code	Product	Pieces in box	Boxes on pallet	Pieces on pallet
PD2010MACPURE	Ecosoft AquaCalcium replacement filter for Ecosoft P'URE reverse osmosis filters	4	66	264